



Zyxel and community approach

ONF Meeting Berlin

May 19-20 - 2022



ZYXEL Communications
Petr Doutnac
BDM COE EMEA

Agenda

- ZYXEL introduction
- SDA301 6xx flyby
- Community approach



ONF Meetup in Persona attendees from Zyxel Communications

Jack T. Y. Lin
Vice President
Strategic Account Sales


Petr Doutnac
Business Development Manager COE EMEA

Zyxel introduction



ZYXEL

Zyxel Communications is part of the **Zyxel Group**



Zyxel at a glance

\$850M



USD\$850 million
revenue in 2020

20M



20 million devices shipped per year,
creating global connections

150



150 global markets served

30+



Established in 1989, over **30 years**
of internet access solution expertise

3600+




3600+ **passionate employees**
worldwide




Global presence

in over 150 countries and territories



Zyxel Communications revenue split by region



Zyxel's end-to-end


Central offices



- GPON OLT
- Carrier switch
- MSAN/DSLAM
- VDSL switch



Solutions



5G/LTE
base station



5G/LTE
cellular



FTTx



ETTx



xDSL

Premises network



**Mobile
broadband CPE**
▪ 5G NR/4G LTE CPE

Mesh



Wireless extender
▪ Mesh WiFi extenders


Mesh



**Fixed line
broadband CPE**

- Passive/active ONT
- G.fast DPU/CPE
- Ethernet CPE
- VDSL2 CPE


Worldwide customers


						
						
						
						
						
						
						
						

SDA3016SS FlyBy



Disaggregation Architecture





SDA3016SS

Available Now



Alarm Input/Output

GPS Connector for 1PPS input



Redundant Power Supplies:
DC/DC, DC/AC, AC/AC

USB 2.0 for Com-Express
Compute Module

▲ MGMT RJ45 out-of-band
▼ Console USB-A craft port


▼1 ▲2 QSFP28
100G/40G or Break-out 4*10G

▼3 ▲4 SFP28 / SFP+ / SFP
25G / 10G / 1G

4+1 Fan Module
Hot-Swappable

SDA3016SS2

Ready Q3 2022



Alarm Input/Output

GPS Connector
for 1PPS/ToD input



Redundant Power Supplies:
DC/DC, DC/AC, AC/AC

USB 2.0 for Com-Express
Compute Module

▲ MGMT RJ45 out-of-band
▼ Console USB-A craft port

▼1 ▲2 QSFP28
100G/40G or Break-out 4*10G

▼3 ▲4 SFP28 / SFP+ / SFP
25G / 10G / 1G

4+1 Fan Module
Hot-Swappable

Support PTP IEEE1588v2



Why Zyxel?

Unique combination of features enabling unprecedented ease of deployment

Dual Power

= freedom of power source choice AC or DC or combination

Non-blocking uplink

= total 250Gbps uplink enables uplink redundancy options

All-in-one-PON


= just pick a transceiver and technology to deploy

Telco Grade HW

= no heated/cooled room needed within -40 to +65°C

Open White box OLT

= open for 3rd party software and applications



Ideal fit for small to mid sized towns and villages due to low installation costs and requirements.

Small to mid settlements form 71% of addressable market



Community approach



Community approach

- We believe in our position in the community
- We believe in position of the community

Keys to success of such approach

- Select the right path and **target**
- Apply full transparency within a partnership
- Respect of rights and obligations of each partner
- Make sure “there is fun for all in the group”
- Win-Win is not good enough, we need Multi-Win

- Have an open mind to form even unorthodox partnerships!



Community approach actions

- Continue to evangelize Open SDN approach
- Change of target customers mindset is essential for growth
- Keep the open nature of community is critical
- Ensure balanced distribution of power
- Embrace SWOT not SOT
- (example) Exit Button 
- Scalability, a path to open more paths to more segments



THANK YOU FOR YOUR ATTENTION

